

SHEAR GRABS

Shear Grab block cutters to suit tractors, loaders, skid steers...



ProCut Range



FarmCut Range



MAKING LIVESTOCK FEEDING SIMPLE

Shear Grab block cutters to suit tractors, loaders, skid steers

With many years of Contract harvesting experience on farms, we are constantly in contact with livestock farmers, listening to their requests and comments. Feeding livestock is a daily unforgiving task using shear grab block cutters to remove the ensiled material from a clamp which is usually grass silage or maize. A highly efficient and reliable block cutter can save hundreds of feeding hours over the period of a year when it is performing to the maximum.

Listening to our customers complaints of failures and problems handling and cutting varying types of forage especially when very high dry matters using other makes of block cutters, some also requested that we design and manufacture them a block cutter that could eliminate experienced problems and also give long reliable, low maintenance life.

- ▶ Manufactured from unique high tensile grade S355 steel and Hardox 450 giving many years of life in this high stress application – more strength less weight.
- ▶ Nitox coated rods on Hydraulic cylinders eliminates any corrosion fears that can cause oil seal failures
- ▶ Unique machined Hardox 600 serrated blades that remain razor sharp for 50% longer than standard blades, meaning less maintenance for you
- ▶ Unique extra-long pivot hinge 50mm diameter pins & sleeved bushes 200mm long - double the length of many competitors meaning many years of wear free life as this is a major stress point on all block cutters
- ▶ Widest opening design on the market meaning highest capacity to width ratio available saving you time with less journeys to the clamp
- ▶ High tensile Kvernland* forged tines

We offer 2 ranges to suit all applications, FarmCut and ProCut.



FarmCut Features

- « Designed for the smaller less intensive livestock farm
- « 850mm Throat Opening For High Capacity
- « 820mm High Tensile Hard Bushed Cranked Tines
- « Unique Hardox 600 Grade Machined Blades
- « Unique Extra-Long 200mm Pivot Hinge
- « 50mm Diameter Pins & Replaceable Sleeved Bushes For Long Life
- « Heavy Duty 115mm Hydraulic Cylinders
- « All Rams Fully Bushed And Greasable
- « Nitox Coated Rods On Hyd Cylinders - Eliminates Any Corrosion
- « 2 Pack High Gloss Durable Paint In Red
- « Bolt On Attachment Brackets



ProCut features

- « A deeper higher capacity cutter designed for large intensive livestock and dairy farms
- « 1050mm Throat Opening For High Capacity
- « 900mm Long High Tensile Hard Bushed 40mm Straight Stone Fork Tines
- « 50mm Round Tines On Ends For Strength
- « Unique Hardox 600 Grade Machined Blades
- « Unique Extra-Long 200mm Pivot Hinge
- « 50mm Diameter Pins & Replaceable Sleeved Bushes For Long Life
- « Heavy Duty 125mm Hydraulic Cylinders
- « All Rams Fully Bushed And Greasable
- « Nitox Coated Rods On Hyd Cylinders - Eliminates Any Corrosion
- « 2 Pack High Gloss Durable Paint In Red
- « Bolt On Attachment Brackets



Technical Specification – FarmCut


FARM-CUT	Capacity (approx)	Weight (kg)	Tine Spacing	Number of times
1350 (4'4")	1.0m ³	380	135	10
1550 (5'0")	1.2m ³	410	140	11
1750 (5'7")	1.4m ³	440	135	13
1950 (6'4")	1.6m ³	470	140	14

Technical Specification – ProCut

PRO-CUT	Capacity (approx)	Weight (kg)	Tine Spacing	Number of times
1950 (6'4")	2.0m ³	480	140	14
2150 (7'0")	2.35m ³	565	140	15
2350 (7'8")	2.6m ³	575	145	16
2550 (8'3")	2.95m ³	n/a	n/a	n/a

Extras

- Centre Knife C/W Hyd Cylinder
- Handler/Loader attachment Brackets Bolt On - All Models
- Hyd Feed Hoses From Handler Exc. Q/R Couplings



For More Information:

HEAD OFFICE:

44 Lowtown Road, Waringstown, Craigavon, Co. Armagh, N. Ireland BT66 7SJ

CALL: + 44 (0) 28 3882 0862 or 01179 866 163

EMAIL: sales@slurrykat.com

VISIT: www.slurrykat.com

